

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Parals	Time Stamp
51	0	"675166",RN	US_PUBL	OR	OFF	2010/05/18 14:36
52	0	"675202",RN	US_PUBL	OR	OFF	2010/05/18 14:37
53	0	"2009000999",RN	US_PUBL	OR	OFF	2010/05/18 14:41
54	70379	4553.03.06.41.2.45.94.150.1.150.2.150.3.154.1.158.4.186.1.412.413.414.1.414.2.414.3.426.1.456.6.457.508.566.eds.705.1.10.14.16.26.51.ods.709.200.201.206.207.217.219.231.245.19.231.ods.725.1.345.1.52.102.112.114.116.136.ods.	US_PUBL	OR	ON	2010/05/18 14:51
55	0	(ink stream feed\$3) NEAR9 (str\$3 database) SAME (channel WITH application) AND (channel NEAR9 data) SAME channel NEAR9 memory\$3 AND (sub\$2 NEAR9 channel AND (repl\$3 substitut\$3 overwrit\$4) AND (restrict\$3 SAME channel))	US_PUBL	OR	ON	2010/05/18 15:01
56	0	(ink stream feed\$3) SAME (str\$3 database) SAME (channel WITH application) AND (channel NEAR9 memory\$3) AND (sub\$2 NEAR9 channel) AND (repl\$3 substitut\$3 overwrit\$4) AND (restrict\$3 SAME channel)	US_PUBL	OR	ON	2010/05/18 15:02
57	0	\$6 AND @id< "20040301"	US_PUBL	OR	ON	2010/05/18 15:03
58	22	(ink stream feed\$3 channel) NEAR9 (str\$3 database) SAME application SAME (channel NEAR9 memory\$3) AND (sub\$2 NEAR9 channel) AND (repl\$3 substitut\$3 overwrit\$4) AND (restrict\$3 SAME channel)	US_PUBL	OR	ON	2010/05/18 15:24
59	0	\$6 AND @id< "20040301"	US_PUBL	OR	ON	2010/05/18 15:25
60	0	(feed ACB str\$3 database memory\$3) SAME (channel AD.8 application) AND ((subscribed subscription) NEAR9 channel) AND (repl\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US_PUBL	OR	ON	2010/05/18 15:36
61	1	(feed ACB str\$3 database memory\$3) SAME channel SAME application AND ((subscribed subscription) NEAR9 channel) AND (repl\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US_PUBL	OR	ON	2010/05/18 15:37
62	0	(feed ACB str\$3 database memory\$3) SAME (channel AD.8 application) AND ((subscribed subscription) NEAR9 channel) AND (repl\$3 substitut\$3 overwrit\$4) SAME (restrict\$3 SAME channel)	US_PUBL	OR	ON	2010/05/18 15:37

S5	2	\$14 AND @id = "2040501"		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:33
S4	4	\$1 AND \$13		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:39
S3	103	Need ADB storeS3 database memoryS3 SAME channel SAME application AND (@replS3 substitutS3 overwritS4 SAME (restrictS3 SAME channel))		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:39
S16	32776	Need ADB storeS3 database memoryS3 SAME channel SAME application		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:40
S18	14	\$4 AND \$17		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:41
S17	261	Need ADB storeS3 database memoryS3 SAME application AND (@replS3 substitutS3 overwritS4 SAME (restrictS3 SAME channel))		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:41
S19	4	\$18 AND @id = "2040501"		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-18 15:42
S21	9	\$20 AND @id = "2040501"		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 12:37
S20	8	Need ADB storeS3 database memoryS3 SAME channel SAME application AND (@subscrS3 subscriptS3 NSPR channel) AND (@replS3 substitutS3 overwritS4 SAME (restrictS3 SAME channel))		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 12:37
S22	24094	4553.03.06.41.2.4594 150.1.150.3.154.1.158.4.16.1412.1.413.414.1414.2.414.3.426.1.452.1.456.1.456.6.457.508.566.xls		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 13:25
S23	1	\$22 AND (interactive SAME multiMedia SAME content) AND (channel WTR application) AND (database memoryS3 storS3) WITH channel WITH (address clientS4 identity)		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 13:29
S24	29	\$22 AND (interactive SAME multiMedia SAME content) AND (application) AND (database memoryS3 storS3) WITH channel		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 13:31
S25	8	\$24 AND @id = "2040501"		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 13:32
S26	27	\$22 AND (interactive SAME multiMedia) AND (content SAME application) AND (database memoryS3 storS3) WITH channel		US-PR-B, US-AT, US-DE-FRS US-PO, DE-DEVENT, DE-TDS	OR	ON	2010-05-20 14:01

327	16	S86 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:02
328	5	S86 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:11
329	16	S28 AID (interactive SAME multiMedia) AID (content SAME application) AID (database memrS3 storS3) SAME channel	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:11
330	25	S22 AID (interactive SAME multiMedia) AID (content SAME application) AID (database memrS3 storS3) SAME channel	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:11
331	25	S29 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:11
332	1535	455 3.03.3.06 cbb	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:11
333	25	S29 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/05/30 14:13
334	2	"2040/25342" .RN	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	OFF	2010/06/01 11:07
335	2	"865570" .RN	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	OFF	2010/06/01 11:11
336	2	"203030171095" .RN	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	OFF	2010/06/01 11:27
337	6	S86 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/06/01 11:35
338	12	Feed ACB storS3 database memrS3) AND channel SAME application AID ((subscrS3 subscriptS3) WITH channel) AND (replicS3 substitutS3 overwritS4) SAME (restrictS3 WITH channel)	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/06/01 11:35
339	32	Feed storS3 database memrS3) AND channel (in) feedS3 SAME application AND ((subscrS3 subscriptS3) WITH channel) AND (replicS3 substitutS3 overwritS4) SAME (restrictS3 WITH (channel link feedS3))	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/06/01 11:39
340	31	Feed storS3 database memrS3) AND (channel (in)) SAME application AND ((subscrS3 subscriptS3) WITH channel) AND (replicS3 substitutS3 overwritS4) SAME (restrictS3 WITH (channel (in)))	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/06/01 11:39
341	5	S86 AID @idx=<2040301"	USRPUB USRAT USCOR_FRS EPO_IPD DEVENT IBM_TDB	OR	ON	2010/06/01 11:40

S92	578	S41 AND @id = "2040501"		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 11:53
S94	1401	(InteractS3 SAME (multiMedia content)) AND ((channel feed link) SAME application SAME (subcritS3 subscriptS3)) AND (memoS3 database storS3) SAME (updats3 refreshS3 overwritS3 writS3 reloadS3 reUploadS3) AND displayS3 SAME (channel feedS3 link))		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 11:53
S94	422	S42 AND (*455'5 ods.'709'5 ods.'709'5 ods.'725'5 ods.)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 11:54
S94	424	(InteractS3 WITH (multiMedia content)) AND ((channel feed link) WITH application SAME (subcritS3 subscriptS3)) AND (memoS3 database storS3) WITH (updats3 refreshS3 overwritS3 writS3 reloadS3 reUploadS3) AND displayS3 WITH (channel feedS3 link))		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 12:40
S95	121	S44 AND @id = "2040501"		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 12:41
S96	59	S47 AND @id = "2040501"		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 13:18
S97	175	S44 AND S46		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 13:18
S98	14481	(707,259,228,282,254,399,355,21,296,397,40,41,419,421,423,424,425,1,426,cdts,396,40,125,cdts,455,3,01,-3,0,6,41,2,45,94,150,1,150,2,150,3,154,1,154,4,156,1,403,404,404,2,406,10,12,1,422,2,413,414,2,414,3,414,426,1,426,1,426,1,456,6,457,463,464,508,517,556,1,558,550,556,cdts,705,1,2,10,14,1,14,17,14,26,14,35,14,37,14,38,14,14,92,14,54,14,36,14,61,14,66,14,67,16,26,27,51,31,32,323,cdts,709,200,201,206,207,217,219,231,245,219,231,cdts,725,13,51,52,81,102,112,114,116,136,cdts)	US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-01 13:18	
S99	7327	System NEAR channel WITH (subcritS4 NEAR channel)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:08
S99	13072	System WITH channel) WITH (subcritS4 WITH channel)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:08
S99	12990	(System WITH channel) WITH (subcritS3 WITH channel)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:08
S92	2	System NEAR channel) WITH (subcritS4 NEAR channel) SAME fctS3 SAME available SAME (restrictS3 protocolS3 permS3)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:10
S93	1655	System NEAR channel) WITH (subcritS4 NEAR channel) AND fctS3 AND available AND (restrictS3 protocolS3 permS3)		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:11
S94	1644	S38 AND @id = "2040501"		US-PR-BB US-PA US-OR-FRS US-PO DEMBIT IBM TDS	OR	ON	2010-06-02 11:12

355	159	\$S4 AND (multiMedia content) WITH (managed\$3 management)			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/02 11:27
31	9	(link stream feed\$3) NEAR9 (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 data) SAME channel NEAR9 memo\$3 AND (subscrib\$2 NEAR9 channel AND (repla\$3 substitu\$3 overwri\$4) AND (restrict\$3 SAME channel)) dm			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/04 08:17
32	9	(link stream feed\$3) NEAR9 (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 data) SAME channel NEAR9 memo\$3 AND (subscrib\$2 NEAR9 channel AND (repla\$3 substitu\$3 overwri\$4) AND (restrict\$3 limit\$3 prohibit\$3 SAME channel)) dm			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/04 08:21
34	9	(link stream feed\$3) SAME (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 memo\$3) AND (subscrib\$2 NEAR9 channel) AND (repla\$3 substitu\$3 overwri\$4) AND ((restrict\$3 prohibit\$3 limit\$3 SAME channel)) dm			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/04 08:22
33	23	(link stream feed\$3) SAME (stor\$3 database) SAME (channel WITH application) AND (channel NEAR9 memo\$3) AND (subscrib\$2 NEAR9 channel) AND (repla\$3 substitu\$3 overwri\$4) AND ((restrict\$3 prohibit\$3 limit\$3 SAME channel))			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/04 08:22
15	9	(link stream feed\$3) SAME (stor\$3 memo\$3 database) SAME (channel WITH application) AND (channel NEAR9 memo\$3) AND (subscrib\$2 NEAR9 channel) AND (repla\$3 substitu\$3 overwri\$4) AND ((restrict\$3 prohibit\$3 limit\$3 SAME channel)) com.			\$S_PUBL OR \$SPAT \$SOCR_FPRS \$PO_IPD \$SERVIENT \$BM_TOB	ON	2010/06/04 08:23

6/4/2010 8:29:21 AM

C:\Documents and Settings\plran6\My Documents\EAST Workspaces A_10791298_MobRichMedia.wsp